

# EVERHOT®

Hot Water Solution



Made by Rheem Manufacturing

- ✔ Great Value
- ✔ Great Quality
- ✔ Australian Brand

Everhot. Job Done!



# DOMESTIC GAS STORAGE MAIN PRESSURE



GAS



4 STAR  
RATING



PEOPLE



FIRST HOUR  
CAPACITY



CYLINDER  
WARRANTY



Everhot 4 Star gas storage water heaters are an ideal replacement for older 3 star gas models. They are easy to retrofit, and with superior energy efficiency, they'll reduce running costs too. They recover 169L/hr to deliver between 192L to 394L of hot water in the first hour (model dependant).

## FEATURES

- Complete model range (115L – 300L)
- Fast, easy like-for-like replacement
- Models available in LPG or natural gas
- Sacrificial anode
- Mains Pressure
- 4 star energy efficient
- Strong recovery: 115 L/H - 169 L/H
- Outdoor Installation
- 5 year cylinder warranty & 1 year spare parts

## WHY EVERHOT GAS?

- **Designed for Australia's tough conditions** using over 80 years of experience in Australia
- **Capacities to suit most family sizes** and hot water requirement, starting from 115 Litres.
- **Main pressure** the ability to service multiple uses at once without losing hot water pressure
- **Full technical support and spare parts available**
- All Everhot gas water heaters are made in a wholly owned and operated Rheem facility



Made by Rheem Manufacturing

**EVERHOT**<sup>®</sup>  
Hot Water Solution


SPECIFICATIONS		115L	150L	230L	300L
Model Name		GRAS115YP/TP	GRAS150YP/TP	GRAS230YP/TP	GRAS300YP/TP
Hot Water Delivery	Litres	115	150	230	300
Gas Consumption ( Natural Gas )	MJ/h	30	34	45	50
Gas Consumption ( LPG )	MJ/h	25	30	40	45
Gas Supply Pressure Rating	Pa	Natural Gas : 2000 ; Town Gas : LPG : 2800			
Adjustable Water Tem/ Range	°C	30 ~ 70			
T & PR Connections		RP¾/20			
Cold & Hot Water Connections		RP¾/20	RP¾/20	RP¼/20	RP¼/20
Gas Connections		RP½/15			
T & PR Valve Setting Pressure	MPa	0.85			
Max Water Supply Pressure	MPa	0.68			
Dimensions					
A	mm	1390	1640	1676	2026
B	mm	1270	1520	1556	1906
C	mm	1098	1348	1348	1698
D	mm	455	455	567	567
E	mm	553	553	670	670
F	mm	316	316	316	316
G	mm	330	330	330	330
H	mm	370	370	370	370
K	degrees	22	22	29	29
Approx. Weight (Empty)	kg	61	66	95	115

\* In this table, Gas type : T = Natural Gas ; R = Town Gas ; Y = LPG Gas

### SIZING GUIDE

No. of People	Model
3-4	115 litre
4-5	150 litre
5-6	230 litre
8-9	300 litre

### OUTDOOR MODELS



#### COLORBOND JACKET

Resist dirt rust and corrosion proof

#### SACRIFICIAL ANODE


Longer Lifespan

#### EVERGLAS VITREOUS ENAMEL LINING

Corrosion proof

#### POLYURETHANE INSULATION

Keep the water hotter



Warranty: 5 Years on Cylinder, 1 Year Parts & Labour warranty on all other components for Domestic (non-Commercial) installations. Conditions apply. See the Everhot warranty set out in the Owner's Guide and Installation Instructions.